

innovative  
LIGHTS



## DOTA

Einzigartige Bauform, hervorragende Lichtqualität, für die verschiedenste Anwendungen als Schienen, Wand und Deckenleuchte einsetzbar.



A

B

**Gehäusefarbe:** A / B



Black



White

## Lighting Technology



11°

24°

38°


oval

rectangular


washers



## Diffuser




Breitstrahlender Diffusor für größere Objekte..




	DPSG10-02				DPCG10-02			
	H	a	lux	θ	a	lux	θ	
10°	1m	Ø47cm	5795 lx	26°	Ø58cm	3943 lx	32°	
	2m	Ø94cm	1449 lx		Ø116cm	986 lx		
	2.5m	Ø118cm	927 lx		Ø145cm	631 lx		
20°	1m	Ø59cm	2404 lx	33°	Ø72cm	1636 lx	40°	
	2m	Ø118cm	601 lx		Ø144cm	409 lx		
	2.5m	Ø148cm	385 lx		Ø180cm	262 lx		
30°	1m	Ø88cm	883 lx	49°	Ø99cm	601 lx	55°	
	2m	Ø176cm	221 lx		Ø198cm	150 lx		
	2.5m	Ø220cm	141 lx		Ø248cm	96 lx		




Ovaler Diffusor für die Objektbeleuchtung geeignet.




DPS10-02	H	a/b	lux
10°	1m	23cm / 47cm	10917 lx
	2m	46cm / 94cm	2729 lx
	2.5m	58cm / 118cm	1747 lx
20°	1m	38cm / 61cm	4528 lx
	2m	76cm / 122cm	1132 lx
	2.5m	95cm / 153cm	724 lx
30°	1m	65cm / 88cm	1663 lx
	2m	130cm / 176cm	416 lx
	2.5m	163cm / 220cm	266 lx




Quadratischer Diffusor zur Fokussierung auf Kunstwerke in Galerien.



DP10-02	H	a/b	lux
10°	1m	67cm / 67cm	3673 lx
	2m	134cm / 134cm	918 lx
	2.5m	168cm / 168cm	588 lx
20°	1m	81cm / 81cm	1524 lx
	2m	162cm / 162cm	381 lx
	2.5m	203cm / 203cm	244 lx
30°	1m	108cm / 108cm	559 lx
	2m	216cm / 216cm	140 lx
	2.5m	270cm / 270cm	89 lx



**Wallwash**  
Diffuser sorgt für die gleichmäßige Ausleuchtung von Wänden .




DPW10-02	H	D	lux
10°	1m	40cm	2502 lx
	2m	79cm	626 lx
	2.5m	99cm	400 lx
20°	1m	47cm	1038 lx
	2m	94cm	260 lx
	2.5m	118cm	166 lx
30°	1m	61cm	381 lx
	2m	121cm	95 lx
	2.5m	152cm	61 lx





Article number	1619.202
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	10°/20°/30°
CCT	3000K
CRI	90+


Colours    
Black White



Dimmable



Accessories



DPSG10-02  
flood diffuser

DPCG10-02  
flood diffuser



DPS10-02  
oval flood diffuser


DP10-02  
framing diffuser

DPW10-02  
wallwash diffuser





Article number	1519.232
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	10°/20°/30°
CCT	3000K
CRI	90+


Colours    
Black White



Dimmable



Accessories



DPSG10-02  
flood diffuser

DPCG10-02  
flood diffuser



DPS10-02  
oval flood diffuser

DP10-02  
framing diffuser

DPW10-02  
wallwash diffuser




Article number	1619.204
LED Consumption	30W
Voltage	230 (V AC)
Lumen	2295 (lm)
Beam Angle	10°/20°/30°
CCT	3000K
CRI	80+

Colours    
Black White



Dimmable

TRIAC



Accessories



DPSG10-02  
flood diffuser



DPCG10-02  
flood diffuser



DPS10-02  
oval flood diffuser



DP10-02  
framing diffuser





DPW10-02  
wallwash diffuser



Article number	1619.301
LED Consumption	25.9W
Current	700 (mA)
Lumen	2559 (lm)
Beam Angle	10°/20°/30°
CCT	3000K
CRI	90+

Colours    
Black White



Accessories



DPSG10-02  
flood diffuser



DPCG10-02  
flood diffuser



DPS10-02  
oval flood diffuser



DP10-02  
framing diffuser



DPW10-02  
wallwash diffuser